Contents

Volume 60, Number 1, February 2006

1 Editorial

Special Article

3 The Aum Cult leader Asahara's mental deviation and it's social relatons *H. Akimoto*

Regular Articles

9 Application of the Revised Infant Temperament Questionnaire for evaluating temperament in the Japanese infant: Creation of an abridged Japanese version *Y. Sasaki, R. Mizuno, H. Kaneko, S. Murase, and S. Honjo*

18 Quantification analysis of ^{123}I-IPT single photon emission computed tomography uptake in the striatum of parkinsonism with the standard magnetic resonance template *R. Juh, C. Pae, C. U. Lee, J. Kim, D. Moon, T. Suh and B. Choe*

29 Psychological impact of verbal abuse and violence by patients on nurses working in psychiatric departments *M. Inoue, K. Tsukano, M. Muraoka, F. Kaneko and H. Okamura*

37 Characteristics of the sensory-motor, verbal and cognitive abilities of preschool boys with attention deficit/hyperactivity disorder combined type *R. Iwanaga, H. Ozawa, C. Kawasaki and R. Tsuchida*

46 Factors associated with alcohol consumption, problem drinking, and related consequences among high school students in Taiwan *M.-Y. Yeh*

55 Prepulse inhibition of acoustic atartle response in mild cognitive impairment and mild dementia of Alzheimer type *A. Ueki, K. Goto, N. Sato, H. Iso and Y. Morita*

63 Relation between social functioning and neurocognitive test results using the Optional Thinking Test in schizophrenia *B. Chino, M. Mizuno, T. Nemoto, C. Yamashita and H. Kashima*

70 Prefrontal cognition in schizophrenia and bipolar illness in relation to Val66Met polymorphism of the brain-derived neurotrophic factor gene *J. K. Rybakowski, A. Borkowska, M. Skibinska, A. Szczepankiewicz, P. Kapelski, A. Leszczynska-Rodziewicz, P. M. Czerski and J. Hauser*

77 Lifetime posttraumatic stress disorder in Turkish alcohol dependent inpatients: Relationship with depression, anxiety and erectile dysfunction *C. Evren, S. Can, B. Evren and D. Cakmak*

85 Family history of alcoholism and cognitive recovery in subacute withdrawal *Y. Moriyama, T. Muramatsu, M. Kato, M. Mimura and H. Kashima*

90 Suicide in Thailand during the period 1998–2003 *M. Lotrakul*

96 Putative temperament of patients with generalized anxiety disorder: Two-years' interval test-retest reliability of a Japanese version of Generalized Anxious Temperament *A. Osone and S. Takahashi*

Short Communications

103 Group A beta hemolytic streptococcal infections and obsessive compulsive symptoms in a Turkish pediatric population *O. Abali, K. Gurkan, E. Unuvar, M. Sidal, B. Ongen, F. Oguz and U. Tuzun*

106 Beneficial effects of perospirone on aggressive behavior associated with dementia *S. Sato, K. Mizukami, K. Moro, Y. Tanaka and T. Asada*

110 Local community intervention through depression screening and group activity for elderly suicide prevention *H. Oyama, Y. Ono, N. Watanabe, E. Tanaka, S. Kudoh, T. Sakashita, S. Sakamoto, K. Neichi, K. Satoh, K. Nakamura and K. Yoshimura*

Letters to the Editor

115 Risperidone alternative for a schizophrenic patient with olanzapine-exacerbated diabetic mellitus *P.-L. Wu, H.-Y. Lane and K.-P. Su*

117 Mania after vascular dementia in a patient with bipolar II disorder *Y. Watanabe, T. Shioiri, H. Kuwabara and T. Someya*

119 Autocastration and penile reconstruction in a patient with obsessive-compulsive disorder *C.-W. Yang, H.-C. Chen and T.-J. Chen*

120 The counterbalance between leptin and cortisol may be associated with comorbid depression and anxiety *S.-C. Liao*

121 Venlafaxine-associated serotonin syndrome and manic episode in a geriatric depressive patient *C.-H. Liau, W. W. Shen and K.-P. Su*

123 Donepezil induced nightmares in mild cognitive impairment *Y. Kitabayashi, H. Ueda, H. Tsuchida, T. Yamashita, J. Narumoto and K. Fukui*

Volume 60, Number 2, April 2006

Review Articles

125 Role of family in alcohol and substance abuse *O. Saatcioglu, R. Erim and D. Cakmak*

133 Transcranial magnetic stimulation: Potential treatment for tinnitus? *S. Pridmore, T. Kleinjung, B. Langguth and P. Eichhammer*

Regular Articles

139 Non-verbal learning is impaired in very mild Alzheimer's disease (CDR 0.5): Normative data from the learning version of the Rey–Osterrieth Complex Figure Test *M. Kasai, K. Meguro, R. Hashimoto, J. Ishizaki, A. Yamadori and E. Mori*

147 Quality of life, depression, and stress in breast cancer women outpatients receiving active therapy in Taiwan *J-Y. Yen, C-H. Ko, C-F. Yen, M-J. Yang, C-Y. Wu, C-H. Juan and M-F. Hou*

154 Oral cenesthopathy examined by Rorschach test *F. Honma, M. Kimura, S. Endo, M. Ohtsu, T. Okada and T. Satoh*

160 Correlates of methamphetamine use for Taiwanese adolescents *C-F. Yen, Y-H. Yang and M-Y. Chong*

168 Distress and functioning in mixed anxiety and depressive disorder *K. Małyszczak and T. Pawłowski*

174 Cognitive impairment in people diagnosed with end-stage liver disease evaluated for liver transplantation *J. H. Sorrell, B. J. Zolnikov, A. Sharma and I. Jinnai*

182 Impact of infant health problems on postnatal depression: Pilot study to evaluate a health visiting system *M. Ueda, H. Yamashita and K. Yoshida*

190 Efficacy and safety of donepezil in patients with dementia with Lewy bodies: Preliminary findings from an open-label study *S. Mori, E. Mori, E. Iseki and K. Kosaka*

196 Nurses' collaboration with physicians in managing medication improves patient outcome in acute psychiatric care *M. Nakanishi, A. Koyama, H. Ito, H. Kurita and T. Higuchi*

204 Pathway to psychiatric care in Bali *T. Kurihara, M. Kato, R. Reverger and I. G. R. Tirta*

211 Reliability and validity of communication skills questionnaire (CSQ) *M. Takahashi, K. Tanaka and H. Miyaoka*

219 Somatic symptoms for predicting depression: One-year follow-up study in annual health examinations *M. Nakao and E. Yano*

226 Association between dopamine receptor D1 A-48G polymorphism and methamphetamine abuse *H-C. Liu, C-K. Chen, S-J. Leu, H-T. Wu and S-K. Lin*

232 Increased inhibition and decreased facilitation effect during a lexical decision task in children *E. Nakamura, K. Ohta, Y. Okita, J. Ozaki and E. Matsushima*

240 Twelve-month use of mental health services in four areas in Japan: Findings from the World Mental Health Japan Survey 2002–2003 *Y. Naganuma, H. Tachimori, N. Kawakami, T. Takeshima, Y. Ono, H. Uda, Y. Hata, Y. Nakane, H. Nakane, N. Iwata, T. A. Furukawa and T. Kikkawa*

Short Communications

249 Seasonality of birth in patients with schizophrenia in Japan *Y. Mino and I. Oshima*

253 Clinical neurological abnormalities in young adults with Asperger syndrome *P. Tani, N. Lindberg, B. Appelberg, T. Nieminen-von Wendt, L. von Wendt and T. Porkka-Heiskanen*

256 Clozapine in schizophrenia patients with recurrent catatonia: Report of two cases *Y-Y. Hung, P-S. Yang and T-L. Huang*

Letters to the Editor

259 Childhood abuse and adult violence in homeless people *S. A. Spence, K-H. Lee, E. Brown, R. David, S. Girgis and R. W. Parks*

260 Paroxetine-induced excessive yawning *K. Harada*

Volume 60, Number 3, June 2006

Review Article

261 What should non-US behavioral health systems learn from the USA?: US behavior health services trends in the 1980s and 1990s *Y. Kishi, R. G. Kathol, D. D. McAlpine, W. H. Meller and S. W. Richards*

Regular Articles

271 Determinants of disability in everyday activities differ in primary and cervicogenic headaches and in low back pain *G. Gesztelyi and D. Bereczki*

277 An evaluation strategy for the early detection of postoperative delirium *T. Ohki, E. Matsushima, M. Shibuya and M. Sunamori*

283 Effects of an antistigma program on medical students' attitudes towards people with schizophrenia *A. Altindag, M. Yanik, A. Ucok, K. Alptekin and M. Ozkan*

289 Comparison of completed and attempted suicide in Akita, Japan *M. Fushimi, J. Sugawara and S. Saito*

296 Egalitarian sex role attitudes among Japanese human service professionals: Confirmatory factor analytic study *M. Uji, M. Shono, N. Shikai, H. Hiramura and T. Kitamura*

303 Neuropsychological correlates of error negativity and positivity in schizophrenia patients *M-S. Kim, S. S. Kang, K. S. Shin, S. Y. Yoo, Y. Y. Kim and J. S. Kwon*

312 Discrepancy of performance among working memory-related tasks in autism spectrum disorders was caused by task characteristics, apart from working memory, which could interfere with task execution *T. Nakahachi, M. Iwase, H. Takahashi, E. Honaga, R. Sekiyama, S. Ukai, R. Ishii, W. Ishigami, O. Kajimoto, K. Yamashita, R. Hashimoto, H. Tani, A. Shimizu and M. Takeda*

319 Association of minimal thickness of the medial temporal lobe with hippocampal volume, maximal and minimal hippocampal length: Volumetric approach with horizontal magnetic resonance imaging scans for evaluation of a diagnostic marker for neuroimaging of Alzheimer's disease *C. Uotani, K. Sugimori and K. Kobayashi*

327 Factors disturbing treatment for cancer in patients with schizophrenia *T. Inagaki, R. Yasukawa, S. Okazaki, H. Yasuda, T. Kawamukai, E. Utani, M. Hayashida, S. Mizuno, T. Miyaoka, H. Shinno and J. Horiguchi*

332 Estimation of premorbid IQ in individuals with Alzheimer's disease using Japanese ideographic script (*Kanji*) compound words: Japanese version of National Adult Reading Test *K. Matsuoka, M. Uno, K. Kasai, K. Koyama and Y. Kim*

340 Brief posturographic test as an indicator of fatigue *N. Avni, I. Avni, E. Barenboim, B. Azaria, D. Zadok, R. Kohen-Raz and Y. Morad*

347 Comparison of venlafaxine extended release versus paroxetine for treatment of patients with generalized anxiety disorder *T-S. Kim, C-U. Pae, S-J. Yoon, W-M. Bahk, T-Y. Jun, W-I. Rhee and J-H. Chae*

352 Prevalence and profile of methamphetamine users in adolescents at a juvenile classification home *H. Miura, M. Fujiki, A. Shibata and K. Ishikawa*

358 Cognitive patterns and depression: Study of a Japanese university student population *N. Tanaka, M. Uji, H. Hiramura, Z. Chen, N. Shikai and T. Kitamura*

365 Quantitative magnetic resonance spectroscopy of schizophrenia: Relationship between decreased *N*-acetylaspartate and frontal lobe dysfunction *Y. Tanaka, T. Obata, T. Sassa, E. Yoshitome, Y. Asai, H. Ikehira, T. Suhara, Y. Okubo and T. Nishikawa*

373 Autism-Spectrum Quotient Japanese version measures mental health problems other than autistic traits *H. Kurita and T. Koyama*

379 Sensitivity to seasonal changes in panic disorder patients *T. Ohtani, H. Kaiya, T. Utsumi, K. Inoue, N. Kato and T. Sasaki*

Short Communications

384 Topiramate for smoking cessation *Y. Khazaal, J. Cornuz, R. Bilancioni and D. F. Zullino*

389 Successful treatment for obsessive-compulsive disorder with addition of low-dose risperidone to fluvoxamine: Implications for plasma levels of catecholamine metabolites and serum brain-derived neurotrophic factor levels *R. Yoshimura, S. Kaneko, K. Shinkai and J. Nakamura*

Letters to the Editor

394 Topiramate may induce obsessive-compulsive disorder *J. Thuile, C. Even and J-D. Guelfi*

395 Panic disorder and the onset of agoraphobia *A. Herrán, M. Carrera, D. Sierra-Biddle, L. Ramírez, B. Rodríguez-Cabo, A. Ayestarán, F. Hoyuela and J. L. Vázquez-Barquero*

Volume 60, Number 4, August 2006

Regular Articles

397 Psychosocial impact among the public of the severe acute respiratory syndrome epidemic in Taiwan *C-H. Ko, C-F. Yen, J-Y. Yen and M-J. Yang*

404 Clinical predictors of response to pharmacotherapy with selective serotonin reuptake inhibitors in obsessive–compulsive disorder *R. Tükel, O. Bozkurt, A. Polat, A. Genç and H. Atlı*

410 Clinical features and treatment outcome in Japanese patients with social anxiety disorder: Chart review study *M. Shindo, T. Shioiri, H. Kuwabara, M. Maruyama, R. Tamura and T. Someya*

417 Psychological burdens are associated with young male transsexuals in Korea *T-S. Kim, Y-H. Cheon, C-U. Pae, J-J. Kim, C-U. Lee, S-J. Lee, I-H. Paik and C. Lee*

422 Effect of age and education on the Trail Making Test and determination of normative data for Japanese elderly people: The Tajiri Project *R. Hashimoto, K. Meguro, E. Lee, M. Kasai, H. Ishii and S. Yamaguchi*

429 A naturalistic comparison of two right unilateral electroconvulsive therapy dosing protocols: 2-3X seizure threshold versus fixed high-dose *W. K. Ward, P. Lush, M. Kelly and A. D. J. Frost*

434 Attention-deficit/hyperactivity disorder and dissociative disorder among abused children *T. Endo, T. Sugiyama and T. Someya*

439 The impact of antistigma education on the attitudes of general practitioners regarding schizophrenia *A. Üçok, H. Soygür, C. Ataklı, K. Kuşcu, N. Sartorius, Z. Ç. Duman, A. Polat and Ş. Erkoç*

444 Recidivism among male subjects incarcerated for illicit drug use in Taiwan *S-C. Chiang, H-Y. Chan, C-H. Chen, H-J. Sun, H-J. Chang, W. J. Chen, S-K. Lin and C-K. Chen*

452 Long-term clinical course of patients with acute polymorphic psychotic disorder without symptoms of schizophrenia *T. Abe, K. Otsuka and S. Kato*

458 Total antioxidant response in patients with schizophrenia *B. Ustundag, M. Atmaca, O. Kirtas, S. Selek, K. Metin and E. Tezcan*

465 Executive dysfunctions and depression in Behçet's disease without explicit neurological involvement *N. Erberk-Ozen, A. Birol, C. Boratav and M. Kocak*

473 Cognitive function and social abilities in patients with schizophrenia: Relationship with atypical antipsychotics *P. J. Tyson, K. R. Laws, K. A. Flowers, A. Tyson and A. M. Mortimer*

480 Adult attention-deficit hyperactivity disorder in patients with bipolar I disorder in remission: Preliminary study *L. Tamam, C. Tuğlu, G. Karatas and S. Ozcan*

486 Adjusting the frequency of continuation and maintenance electroconvulsive therapy to prevent relapse of catatonic schizophrenia in middle-aged and elderly patients who are relapse-prone *K. Suzuki, S. Awata, T. Takano, Y. Ebina, T. Shindo, N. Harada and H. Matsuoka*

493 Reliability and validity of the Bangla version of WHOQOL-BREF in an adult population in Dhaka, Bangladesh *A. Tsutsumi, T. Izutsu, S. Kato, A. Islam, H. S. Yamada, H. Kato and S. Wakai*

499 Chronic intraperitoneal injection of interferon-α reduces serotonin levels in various regions of rat brain, but does not change levels of serotonin transporter mRNA, nitrite or nitrate *T. Sato, E. Suzuki, M. Yokoyama, J. Semba, S. Watanabe and H. Miyaoka*

507 Treatment of partial seizures with gabapentin: Double-blind, placebo-controlled, parallel-group study *T. Yamauchi, S. Kaneko, K. Yagi and S. Sase*

Short Communications

516 Transient global amnesia following a transoceanic flight *J. Rashid and P. J. Starer*

521 Routine use of operational diagnostic criteria affects the pharmacotherapy of dysthymia: National questionnaire survey of experienced psychiatrists in Japan *T. Endo, T. Shioiri, H. Kitamura and T. Someya*

524 Association between *corticotropin-releasing hormone receptor 2* (*CRHR2*) gene polymorphism and personality traits *M. Tochigi, C. Kato, T. Otowa, H. Hibino, T. Marui, T. Ohtani, T. Umekage, N. Kato and T. Sasaki*

Letters to the Editor

527 Is Asperger syndrome associated with abnormal nocturnal motor phenomena? *P. Tani, K. Tuisku, N. Lindberg, J. Virkkala, T. Nieminen-von Wendt, L. von Wendt, T. Porkka-Heiskanen, B. AppelBerg and H. Lauerma*

529 Counterbalance between leptin and cortisol may be associated with fibromyalgia *P. Fietta and P. Fietta*

530 **Corrigendum**

Volume 60, Number 5, October 2006

Review Article

531 Unawareness in schizophrenia: Neuropsychological and neuroanatomical findings *L. Pia and M. Tamietto*

Regular Articles

538 Can personality traits help us explain disability in chronic schizophrenia? *A. Herrán, D. Sierra-Biddle, M. J. Cuesta, M. Sandoya and J. L. Vázquez-Barquero*

546 Different dimensions of social support for the caregivers of patients with schizophrenia: Main effect and stress-buffering models *T. C. Lee, Y. K. Yang, P. S. Chen, N. C. Hung, S. H. Lin, F. L. Chang and S. H. Cheng*

551 Psychological and physical correlates of disordered eating in male and female Turkish college students *A. Erol, G. Toprak and F. Yazici*

558 Knowledge and attitude towards suicide among medical students in Japan: Preliminary study *R. Sato, C. Kawanishi, T. Yamada, H. Hasegawa, H. Ikeda, D. Kato, T. Furuno, I. Kishida and Y. Hirayasu*

563 Gender differences in psychiatric symptoms related to suicidal ideation in Japanese patients with depression *K. Yoshimasu, H. Sugahara, S. Tokunaga, M. Akamine, T. Kondo, K. Fujisawa, K. Miyashita and C. Kubo*

570 Study of stress and vulnerability in patients with somatoform and dissociative disorders in a psychiatric clinic in North India *A. S. Irpati, A. Avasthi and P. Sharan*

575 Relationships among mental health status, social context, and demographic characteristics in Taiwanese aboriginal adolescents: A structural equation model *C-F. Yen, C-C. Hsu, S-C. Liu, C-F. Huang, C-H. Ko, J-Y. Yen and C-P. Cheng*

584 Efficacy of milnacipran on cognitive dysfunction with post-stroke depression: Preliminary open-label study *S. Sato, Y. Yamakawa, Y. Terashima, H. Ohta and T. Asada*

590 Direct effects of short-term psychoeducational intervention for relatives of patients with schizophrenia in Japan *H. Yamaguchi, A. Takahashi, A. Takano and T. Kojima*

598 Improvement of cognitive functioning in mood disorder patients with depressive symptomatic recovery during treatment: An exploratory analysis *L. Mandelli, A. Serretti, C. Colombo, M. Florita, A. Santoro, D. Rossini, R. Zanardi and E. Smeraldi*

605 Clinical application of paroxetine for tapering benzodiazepine use in non-major-depressive outpatients visiting an internal medicine clinic *M. Nakao, T. Takeuchi, K. Nomura, T. Teramoto and E. Yano*

611 Clinical features of soft bipolarity in major depressive inpatients *T. Utsumi, T. Sasaki, I. Shimada, M. Mabuchi, T. Motonaga, T. Ohtani, M. Tochigi, N. Kato and S. Nanko*

616 Combined cerebral blood flow effects of a cholinergic agonist (milameline) and a verbal recognition task in early Alzheimer's disease *J. N. Trollor, P. S. Sachdev, W. Haindl, H. Brodaty, W. Wen and B. M. Walker*

Short Communications

626 Usher syndrome with psychotic symptoms: Two cases in the same family *C-Y. Wu and C-C. Chiu*

629 Recovery of cognitive function in neuropsychiatric Langerhan's cell histiocytosis *P. Ryan, M. Walterfang, A. Scholes, J. O'Donovan, B. Tomlinson and D. Velakoulis*

633 Association study of a functional promoter polymorphism of the *X-box binding protein 1* gene in Japanese patients with schizophrenia *Y. Watanabe, N. Fukui, T. Muratake, H. Amagane, N. Kaneko, A. Nunokawa and T. Someya*

636 Detecting malingering of Ganser-like symptoms with tests: A case study *H. Merckelbach, M. Peters, M. Jelicic, I. Brands and T. Smeets*

Letters to the Editor

639 Paranoid schizophrenia and idiopathic Parkinson's disease do coexist: A challenge for clinicians *C. Winter, G. Juckel, M. Plotkin, L. Niehaus and A. Kupsch*

640 Panic disorder and suicide in Mie Prefecture, Japan *K. Inoue, H. Tanii, T. Fukunaga, S. Abe, Y. Nishimura, N. Kajiki, C. Yokoyama, A. Nishida, J. Tawara, H. Kaiya, M. Nata and Y. Okazaki*

642 Delirium and multiple electrolyte abnormalities associated with high dose paroxetine exposure *Y-F. Chuang, Y-L. Chiu, T-J. Hwang and T-S. Chu*

644 Acute stress symptoms in a victim of the Indian Ocean Tsunami *T. Watanabe, K. Hatta, N. Shibata, K. Miyakawa, N. Asukai and H. Arai*

Volume 60, Number 6, December 2006

Regular Articles

645 Analysis of magnetic source localization of P300 using the multiple signal classification algorithm *T. Uohashi, Y. Kitamura, S. Ishizu, M. Okamoto, N. Yamada and S. Kuroda*

652 Stress buffering effects of social support on depressive symptoms in middle age: Reciprocity and community mental health *T. Takizawa, T. Kondo, S. Sakihara, M. Ariizumi, N. Watanabe and H. Oyama*

662 Effects of psychoeducation for depression on help-seeking willingness: Biological attribution versus destigmatization *D-Y. Han, S-H. Chen, K-K. Hwang and H-L. Wei*

669 Brain glucose metabolism and temperament in relation to severe somatization *M. Hakala, T. Vahlberg, P. M. Niemi and H. Karlsson*

676 Sociopsychological factors relating to suicide prevention in a Japanese rural community: Coping behaviors and attitudes toward depression and suicidal ideation *S. Sakamoto, E. Tanaka, K. Neichi, K. Sato and Y. Ono*

687 Lymphocyte subsets and viral load in male AIDS patients with major depression: Naturalistic study *T-L. Huang, H-S. Leu and J-W. Liu*

693 Assessment of quality of life with the WHOQOL-BREF in a group of Turkish psychiatric patients compared with diabetic and healthy subjects *Y. Akvardar, B. B. Akdede, A. Özerdem, E. Eser, Ş. Topkaya and K. Alptekin*

700 Depression and somatic symptoms scale: A new scale with both depression and somatic symptoms emphasized *C-I. Hung, L-J. Weng, Y-J. Su and C-Y. Liu*

709 Do staffing levels determine outcome in psychiatric inpatient care? – Factors related to the ratio of period hospitalized in Japan *S. Nawata, K. Yamauchi and N. Ikegami*

718 Effect of cognitive training focusing on organizational strategies in patients with obsessive-compulsive disorder *H. S. Park, Y-W. Shin, T. H. Ha, M. S. Shin, Y. Y. Kim, Y. H. Lee and J. S. Kwon*

727 Countertransference to psychiatric patients in a clinical setting: Development of the Feeling Checklist–Japanese version *F. Katsuki, M. Goto, H. Takagi, V. Ozdemir and T. Someya*

736 Causative factors as cues for addressing the rapid increase in suicide in Mie Prefecture, Japan: Comparison of trends between 1996–2002 and 1989–1995 *K. Inoue, H. Tanii, S. Abe, M. Nata, Y. Nishimura, A. Nishida, N. Kajiki, C. Yokoyama, H. Kaiya, T. Fukunaga and Y. Okazaki*

746 Positive correlation between anxiety severity and plasma levels of dehydroepiandrosterone sulfate in medication-free patients experiencing a major episode of depression *C-C. Hsiao*

751 Effects of switching from conventional antipsychotics to risperidone in Japanese patients with chronic schizophrenia *S. Nakanishi, H. Kunugi, R. M. Murray, S. Nojima, T. Ogawa and T. Takahashi*

Short Communications

758 Wilson's disease associated with delusional disorder *H. M. Wichowicz, W. J. Cubała and J. Sławek*

761 Reversible dementia with psychosis: Hashimoto's encephalopathy *R. Mocellin, D. I. Lubman, D. Velakoulis, J. Lloyd and E. B. Tomlinson*

764 Schizotypy, attention deficit hyperactivity disorder, and dopamine genes *U. Ettinger, R. Joober, R. De Guzman and G. A. O'Driscoll*

768 Benzodiazepines in catatonia associated with systemic lupus erythematosus *H-Y. Wang and T-L. Huang*

Letters to the Editor

771 Pisa syndrome-like peculiar posture occurred while running was successfully improved with risperidone *K-I. Harada and T. Saito*

773 Werner syndrome with psychosis *K. Hashimoto, K. Ikegami, H. Nakajima and T. Kitamura*

774 Mania as a first presentation in mitochondrial myopathy *S. Grover, S. K. Padhy, C. P. Das, R. K. Vasishta, P. Sharan and S. Chakrabarti*

776 Transient administration of triclofos sodium is helpful in minimizing anticonvulsants under polypharmacy *H. Sakai, E. Kirino, R. Inoue and H. Arai*

778 Prescription pattern of antipsychotic drugs for schizophrenic inpatients in Japan: Research on East Asia Psychotropic Prescription Pattern–Antipsychotics study *R. Yoshimura, T. Okamoto, J. Nakamura, M. Tateno, K. Otsuka, H. Takahashi, D. Fujisawa, T. Takamatsu, S. Fujii, S. Sato, M. Inoue, H. Sasaki, T. Kuroki and N. Shinfuku*

780 Video-assisted cognitive behavioral therapy for anorexia nervosa *R. Matsumoto, H. Tsuchida, Y. Wada, T. Yoshida, A. Okamoto, T. Yamashita, K. Inoue and K. Fukui*

781 Significant correlation of yearly suicide rates with the rate of unemployment among men results in a rapid increase of suicide in Mie Prefecture, Japan *K. Inoue, H. Tanii, T. Fukunaga, S. Abe, H. Kaiya, M. Nata and Y. Okazaki*

783 **Acknowledgements**